ViewSonic VIEWBOARD VIEWBOARD ViewBoard IFP6532-2


Key Features

- All-in-one myViewBoard™ suite with Whiteboard, Display, and Manager
- Pen-on-paper writing experience with Ultra Fine Touch Technology
- Front-facing dual speakers to deliver attention-grabbing sound
- Webcam bracket easily attached with camera for better engagement
- Quad Core CPU with upgraded storage powered by Android 9.0 OS



Product **Description**

The ViewBoard® 32-2 series is an advanced model that provides a comprehensive solution for schools and teachers looking to deliver more interactive and engaging lessons. Clearer colours, more vibrant contrast, and less glare are achieved thanks to 4K UHD display's bonding technology. With 20-point touchscreen interface, users collaborate naturally either with a finger or one of the ViewBoard styluses. The display integrates Ultra Fine Touch Technology which brings a paper-like writing experience with instant response and high accuracy. The dual-tip pen support allows you to simultaneously write or draw with two different colours. Seamless software integration is assured by the built-in access to the myViewBoard suite that brings together all the hardware. With upgraded RAM and storage, ViewBoard 32-2 Series offers instant connectivity and effortless usability for classroom engagement.





1. Smart Port USB[™] X 2 2. Camera 8. Touch 9. Audio Out 3. LAN 4. R5232 5. HDMI X 2 6. USB 2.0 7. VESA® Wall Mount600 x 400mm

10. VGA 11. Audio In 12. Wi-fi Module Slot

Visit Us www.viewsonic.com

DISPLAY

BUNDLE SOFTWARE

DISPLAY		BUNDLE SOFTWARE	
Panel Size:	65"	Basic Annotation Software:	myViewBoard Whiteboard
Panel Type:	TFT LCD Module with DLED Backlight.	Pro Annotation Software:	myViewBoard Whiteboard for Windows (Embedded in optional Windows Slot-in PC)
Display Area (mm):	1428.48(H)x 803.52 (V) (64.5" diagonal)		
Aspect Ratio:	16:9		myViewBoard Display
Resolution:	UHD 3840x2160(Pixels)	Wireless Presentation: SPECIAL FEATURES	& ViewBoard Cast
Colours:	1.07B colours (8bit+FRC)	SPECIAL FEATORES	(combine slot-in PC/Android/HDMI USB
Brightness:	400 nits (typ.)	All-in-one USB port:	port) Front "SmartPort™ USB" to all channels.
Contrast Ratio:	4000:1		
Response Time:	6.5ms	Simple LAN sharing between IFP	10/100M for Android &
Viewing Angles:	H=178, V=178typ.	and slot-in device:	Slot-in PC
Backlight Life:	50,000 Hours (Min)	Light Sensor:	Yes
Surface Treatment:	Hardness: 9H Anti-	POWER	
Sunace meatment.	glare coating	Voltage:	162V-264V +/- 10%
Orientation: PLATFORM	Landscape	Consumption:	On: 175W(typ.) Off: ≤ 0.5W\
	ARM guad-core	ERGONOMICS	
Processor:	Cortex-A55	Wall Mount (VESA®):	600*400
RAM:	4GB DDR4	OPERATING CONDITIONS	
Storage:	32 GB	Temperature (° C):	0°C to 40°C
тоисн		Humidity:	10% ~ 90% RH non- condensing
Type/ Tech:	Ultra Fine Touch Technology	DIMENSIONS (W X H X D)	
Touch Point:	20 points touch, 2 points writing	Physical (inch / mm):	1489×897×87 mm / 58.6x35.3x3.4 in
INPUT		Packaging (inch / mm):	1628×208×1005 mm /
HDMI:	HDMI 2.0 x2 (3840x2160 @60Hz)	WEIGHT	64x8.2x39.5 in
RGB / VGA:	x1	Net (lb / kg):	38.3kg/84.4lb
Audio:	x1	Gross (lb / kg):	46.0kg/101.4lb
RS232:	x1	REGULATIONS	
OPS:	x1 (Optional Intel Standard OPS)	EMC/CE, CB/LVD, GOST-R / EAC, FAC, RCM, BIS, ECAS, LBL (Low Blue Light Certification), RoHS, REACH, SCIP, WEEE, TPCH, Packing waste, CA65, Green BOM, ErP-Eco	
WiFi:	x1	PACKAGE CONTENTS	
OUTPUT		1. Power cord / 2.Remote control with AAA battery / 3.USB	
Audio:	x1	touch cable / 4. Touch pen x 2 / 5. Quick Start Guide + Compliance statement / 6. RS232 adaptor / 7. Screw x 4 (wall mount 4) / 8. HDMI cable / 9. Clamp x5 / 10. Camera plate x1	
LAN			
RJ45:	x1		
USB Type A:	USB2.0 Front x2; Side	COMPATIBLE SLOT-IN PC VPC12-WPO/VPC25/VPC27 series	
	x2		
Туре В:	x1 for HDMI/VGA touch		
SPEAKERS			
12W x 2			
TOP CAMERA PLATE			
Yes			
EMBEDDED OS			
Android 9			