ViewSonic VIEWBOARD VIEWBOARD ViewBoard IFP8632-2


Key Features

- All-in-one myViewBoard™ suite with Whiteboard, Display, and Manager
- Pen-on-paper writing experience with Ultra Fine Touch Technology
- Front-facing dual speakers to deliver attention-grabbing sound
- Webcam bracket easily attached with camera for better engagement
- Quad Core CPU with upgraded storage powered by Android 9.0 OS



Product **Description**

The ViewBoard® 32-2 series is an advanced model that provides a comprehensive solution for schools and teachers looking to deliver more interactive and engaging lessons. Clearer colours, more vibrant contrast, and less glare are achieved thanks to 4K UHD display's bonding technology. With 20-point touchscreen interface, users collaborate naturally either with a finger or one of the ViewBoard styluses. The display integrates Ultra Fine Touch Technology which brings a paper-like writing experience with instant response and high accuracy. The dual-tip pen support allows you to simultaneously write or draw with two different colours. Seamless software integration is assured by the built-in access to the myViewBoard suite that brings together all the hardware. With upgraded RAM and storage, ViewBoard 32-2 Series offers instant connectivity and effortless usability for classroom engagement.





1. Smart Port USB™ X 2 2. Camera 8. Audio Out 9. VESA® Wall Mount800 x 600mm 3. LAN 4. RS232 5. HDMI X 2 6. USB 2.0 7. Touch

10. VGA 11. Audio In 12. Wi-fi Module Slot

Visit Us

www.viewsonic.com

DISPLAY

BUNDLE SOFTWARE

DISPLAY		BUNDLE SOFTWARE	
Panel Size:	86"	Basic Annotation Software:	myViewBoard Whiteboard
Panel Type:	TFT LCD Module with DLED Backlight	Pro Annotation Software:	myViewBoard Whiteboard for Windows (Embedded in optional Windows Slot-in PC)
Display Area (mm):	1895.04(H) x 1065.96(V)mm		
Aspect Ratio:	16:9		myViewBoard Display
Resolution:	UHD 3840x2160(Pixels)	Wireless Presentation:	& ViewBoard Cast
Colours:	1.07B colours (8bit+FRC)	SPECIAL FEATURES	(combine slot-in
Brightness:	400 nits (typ.)	All-in-one USB port:	PC/Android/HDMI USB port) Front "SmartPort™ USB" to all channels.
Contrast Ratio:	4000:1		
Response Time:	8ms	One Click to Cloud Drive:	10/100M for Android &
Viewing Angles:	H=178, V=178typ.		Slot-in PC
Backlight Life:	50,000 Hours (Min)	Light Sensor:	Yes
Surface Treatment:	Hardness: 9H Anti-	POWER	
Surface freatment.	glare coating	Voltage:	162V-264V +/- 10%
Orientation:	Landscape	Consumption:	On:314W(typ.) Off: ≤ 0.5W
PLATFORM		ERGONOMICS	
Processor:	ARM quad-core Cortex-A55	Wall Mount (VESA®):	800x600
RAM:	4GB DDR4	OPERATING CONDITIONS	
Storage:	32 GB	Temperature (° C):	0°C to 40°C
тоисн		Humidity:	10% ~ 90% RH non-
Turne / Tenha	Ultra Fine Touch		condensing
Type/ Tech:	Technology	DIMENSIONS (W X H X D)	
Touch Point:	20 points touch, 2 points writing	Physical (inch / mm):	1957×1160×87 mm / 77x45.7x34.2 inch
INPUT		Packaging (inch / mm):	2112×280×1283 mm / 83.1x11x50.5 inch
HDMI:	HDMI 2.0 x2 (3840x2160 @60Hz)	WEIGHT	
RGB / VGA:	x1	Net (lb / kg):	66.7kg/147lb
Audio:	x1	Gross (lb / kg):	84.2kg/185.6lb
RS232:	x1	REGULATIONS	
OPS: WiFi:	x1 (Optional Intel Standard OPS)	EMC/CE, CB/LVD, GOST-R / EAC, FAC, RCM, BIS, ECAS, LBL (Low Blue Light Certification), RoHS, REACH, SCIP, WEEE, TPCH, Packing waste, CA65, Green BOM, ErP-Eco	
OUTPUT	x1	PACKAGE CONTENTS	
Audio:	x1	1. Power cord / 2.Remote control with AAA battery / 3.USB touch cable / 4. Touch pen x 2 / 5. Quick Start Guide + Compliance statement / 6. RS232 adaptor / 7. Screw x 4 (wall mount 4) / 8. HDMI cable/9. Clamp x5 / 10. Camera plate x1	
LAN	*1		
RJ45:	x1		
USB		COMPATIBLE SLOT-IN PC	
	USB2.0 Front x2; Side	VPC12-WPO/VPC25/VPC27 series	
Туре А:	x2		-
Type B:	x1 for HDMI/VGA touch		
SPEAKERS			
12W x 2			
TOP CAMERA PLATE			
Yes			
EMBEDDED OS			
Android 9			

